## AMENDMENTS TO THE CLAIMS

Please cancel claims 13 and 14 without prejudice to their refiling in future continuation applications. Please add new claims 27-30. Please amend the claims as follows:

1. (Currently Amended) A nanocomposite for use in dental applications, the nanocomposite comprising:

a plurality of silicate platelets;

one or more regions spacing the plurality of silicate platelets from each other;

at least one surface modifier ion-exchanged to each of the plurality of silicate platelets; and

a dentally compatible resin absorbed into the regions spacing the plurality of silicate platelets, the platelets and resin forming an intercalated or exfoliated structure.

wherein the at least one surface modifier is selected from the group consisting of quaternary ammonium ions and primary alkyl ammonium ions.

2. (Currently Amended) A nanocomposite intermediate for use in dental applications, the nanocomposite intermediate comprising:

a plurality of silicate platelets;

one or more regions spacing the plurality of silicate platelets from each other;

at least one surface modifier ion-exchanged to each of the plurality of silicate platelets; and

a dentally compatible resin absorbed into the regions spacing the plurality of silicate platelets.;

wherein the at least one surface modifier is selected from the group consisting of quaternary ammonium ions and primary alkyl ammonium ions.

McDonnell Boehnen Hulbert & Berghoff 300 S. Wacker Drive, Suite 3200 Chicago, IL 60606 312-913-0001 3. (Original) A nanocomposite according to Claim 1 prepared by the process comprising:

providing a plurality of silicate platelets having one or more regions spacing the plurality of

silicate platelets from each other;

ion-exchanging at least one surface modifier to the surface of each of the plurality of silicate

platelets;

absorbing a dentally compatible resin into the regions spacing the plurality of silicate

platelets; and

modifying the dentally compatible resin such that an intercalated or exfoliated structure is created.

4. (Original) A nanocomposite intermediate according to Claim 2 prepared by the process

comprising:

providing a plurality of silicate platelets having one or more regions spacing the plurality of

silicate platelets from each other;

ion-exchanging at least one surface modifier to the surface of each of the plurality of silicate

platelets; and

absorbing a dentally compatible resin into the regions spacing the plurality of silicate

platelets.

5. (Original) A method of making a nanocomposite according to Claim 1 comprising the

steps of:

providing a plurality of silicate platelets having one or more regions spacing the plurality of

silicate platelets from each other;

McDonnell Boehnen Hulbert & Berghoff 300 S. Wacker Drive, Suite 3200 Chicago, IL 60606

312-913-0001

ion-exchanging at least one surface modifier to the surface of each of the plurality of silicate

platelets;

absorbing a dentally compatible resin into the regions spacing the plurality of silicate

platelets; and

modifying the dentally compatible resin such that an exfoliated structure is created.

A method of making a nanocomposite intermediate according to Claim 2 (Original) 6.

comprising the steps of:

providing a plurality of silicate platelets having one or more regions spacing the plurality of

silicate platelets;

ion-exchanging at least one surface modifier to each of the plurality of silicate platelets; and

absorbing a dentally compatible resin into the regions spacing the plurality of silicate

platelets.

(Currently Amended) A method of using a solid nanocomposite for dental applications, the 7.

method comprising the steps of:

providing a solid nanocomposite, the nanocomposite comprising: a plurality of silicate

platelets; one or more regions spacing the plurality of silicate platelets from each other; at least one

surface modifier ion-exchanged to each of the plurality of silicate platelets; a dentally compatible

resin is absorbed into the regions spacing the plurality of silicate platelets, and the platelets and resin

forming an intercalated or exfoliated structure;

wherein the at least one surface modifier is selected from the group consisting of quaternary

McDonnell Boehnen Hulbert & Berghoff 300 S. Wacker Drive, Suite 3200 Chicago, IL 60606

ammonium ions and primary alkyl ammonium ions.

8. (Original) The nanocomposite of Claim 1 wherein said plurality of silicate platelets is

selected from the group consisting of smectite clay, vermiculite, halloysite, a mixed layered clay, a

mica or sericite.

9. (Original) The nanocomposite of Claim 8 wherein said smectite clay is selected from

the group consisting of montmorillonite, laponite, saponite, beidellite, nontronite, hectorite,

swellable mica based mineral, stevensite or any synthetic analog thereof.

10. (Currently Amended) The nanocomposite of Claim 8 wherein said silicate platelets are

used in conjunction with an at least one additive.

11. (Currently Amended) The nanocomposite of Claim 10 wherein said at least one additive is

selected from the group consisting of quartz filler, glass filler, 2,4-dihydroxy benzophenone, 2,6-di-

tert-butyl-4-methylphenol, color pigments, initiators, polymerization accelerators, titanium dioxide,

aluminum oxide, fumed silica, photoinitiators, plasticizers, ultra-violet light absorbers and

stabilizers, and anti-oxidants.

12. (Currently Amended) The nanocomposite according to Claim 1 wherein said gallery region

spacing regions spacing the plurality of silicate platelets is are in the range of at a distance of 3.5Å-

200Å apart.

McDonnell Boehnen Hulbert & Bergh ff 300 S. Wacker Drive, Suite 3200 Chicago, IL 60606

312-913-0001

(Cancelled) 13.

(Cancelled) 14.

(Currently Amended) The nanocomposite according to Claim 13-1 wherein the at least one 15.

surface modifier is used in combination with bifunctional coupling agents or silanes.

The nanocomposite according to Claim 15 wherein said bifunctional (Original) 16.

coupling agent is a methacryloxy silane.

The nanocomposite according to Claim 1 wherein said resin is a monomer, 17. (Original)

polymer, oligomer or a combination of the like.

The nanocomposite of Claim 17 wherein said monomer is selected from the 18. (Original)

group consisting of acrylic acid monomers, methacrylic acid monomers, acrylate monomers,

methacrylate based monomers, styrene monomers, vinyl ether monomers, acrylonitrile monomers,

propylene monomers, vinyl acetate monomers, vinyl alcohol monomers, vinyl chloride monomers,

vinylidine chloride monomers, butadiene monomers, isobutadiene monomers, isoprene monomers,

divinyl benzene and mixtures thereof.

The nanocomposite of Claim 17 wherein said polymer is selected from the 19. (Original)

McDonnell Boehnen Hulbert & Berghoff 300 S. Wacker Drive, Suite 3200 Chicago, IL 60606

group consisting of polyamides, polyesters, polyolefins, polyimides, polyacrylate, polyurethane,

vinyl esters, epoxy based materials, styrene, styrene acrylonitrile, ABS polymers, polysulfones,

polyacetals, polycarbonate, polyphenylensulfidies and mixtures thereof.

The nanocomposite of Claim 17 wherein said oligomer is selected from a 20. (Original)

group consisting of acyrylic oligomers, methacrylic oligomers, styrene oligomers, vinyl ester

oligomers, polyester oligomers and mixtures thereof.

A method of using resin-silicate layered nanocomposite for dental (Original) 21.

applications, the method comprising:

providing a resin-silicate layered nanocomposite, the nanocomposite comprising:

a plurality of silicate platelets; one or more gallery regions spacing the silicate platelets; at least one

surface modifier ion-exchanged to each silicate platelet; an intercalated structure such that resin is

absorbed into the gallery regions spacing the silicate platelets; and an exfoliated structure lying in a

continuous resin matrix such that a solid nanocomposite is formed; and

using the resin-silicate layered nanocomposite in a dental application.

The method of claim 21, wherein the dental application includes use in 22. (Original)

dental composite restorative materials.

The method of claim 21, wherein the dental composite restorative materials (Original) 23.

are selected from the group consisting of sealants, core materials, adhesives, bonding agents,

McDonnell Boehnen Hulbert & Berghoff 300 S. Wacker Drive, Suite 3200 Chicago, IL 60606

veneering materials, cements, dentures, inlays, microfill composites, flowable composites,

compomers, anterior composites, posterior composites, resin modified glass ionomes, and

condensable composites.

The method of claim 23, wherein the dental composite restorative materials 24. (Original)

can be light cured, self cured or combination thereof.

The method of claim 21, wherein the dental application includes use in 25. (Original)

dental appliances, orthodontic devices and appliances, bite plate appliances, denture base resins,

temporary and permanent crowns and bridges.

The method of claim 21, wherein the dental application includes use in 26. (Original)

orthopedic appliances, acrylic prosthesis, bone cements, and adhesives.

(New) The nanocomposite to Claim 1 wherein the at least one surface modifier is a 27.

quaternary ammonium ion.

(New) The nanocomposite of Claim 27 wherein the quaternary ammonium ion is selected 28.

from the group consisting of Bis(2-Hydroxyethyl) methyl tallow quaternary ammonium ion,

dimethyl-2-ethyl hexyl hydrogenated tallow quaternary ammonium ion, methyl dihydroxyethyl

hydrogenated tallow ammonium, and octadecyl trimethyl amine.

McD nnell Boehnen Hulbert & Berghoff 300 S. Wacker Drive, Suite 3200 Chicago, IL 60606

- 29. (New) The nanocomposite of Claim 1 wherein the at least one surface modifier is a primary alkyl ammonium ion.
- 30. (New) The nanocomposite of Claim 29 wherein the primary alkyl ammonium ion is selected from the group consisting of aminododecanoic acid and polyoxyethylene decyloxypropylamine.